

ORDINANCE NO. 2024-2303

AN ORDINANCE OF THE CITY OF NEW PORT RICHEY, FLORIDA, PROVIDING FOR AMENDMENT OF CHAPTER 22 OF THE LAND DEVELOPMENT CODE, PERTAINING TO FLOOD DAMAGE PREVENTION; PROVIDING FOR AMENDEMENT OF SECTION 22.02.00, PERTAINING TO AN UPDATED FLOOD INSURANCE STUDY; PROVIDING FOR AMENDEMENT OF SECTION 22.05.02, PERTAINING TO STANDARDS IN FLOOD HAZARD AREAS WITHOUT BASE FLOOD ELEVATIONS; PROVIDING FOR AMENDEMENT OF SECTION 22.07.05, UPDATING THE FLORIDA BUILINDG CODE REFERENCE; PROVIDING FOR AMENDEMENT OF SECTION 22.09.04, PERTAINING TO DEFINITIONS OF TERMS USED IN THE FLOOD REGULATIONS; PROVIDING FOR AMENDEMENT OF SECTION 22.10.00, PROVIDING FOR BUILDING CODE AMENDMENTS; PROVIDING FOR AMENDEMENT OF SECTION 22.12.01, PERTAINING TO COMPENSATORY FILL; PROVIDING FOR AMENDEMENT OF SECTION 22.12.06, PERTAINING TO EXEMPTIONS ON PLACEMENT OF FILL IN FLOOD AREAS; PROVIDING FOR AMENDEMENT OF SECTION 22.13.00, PERTAINING TO ELEVATION OF MANUFACTURED HOMES IN FLOOD AREAS; PROVIDING FOR AMENDMENT OF SUBSECTION (5) OF SECTION 22.16.01, PERTAINING TO ADDITIONAL ELEVATION OF MECHANICAL, PLUMBING AND ELECTRICAL SYSTEMS IN FLOOD AREAS; PROVIDING FOR A NEW SECTION 22.18.00, PERTAINING TO PROHIBITION OF HAZARDOUS MATERIALS; PROVIDING FOR SEVERABILITY; PROVIDING FOR CONFLICTS; PROVIDING FOR CODIFICATION; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, the City of New Port Richey participates in the National Flood Insurance Program (NFIP) and participates in the NFIP's Community Rating System (CRS), a voluntary incentive program that recognizes and encourages community floodplain management activities that exceed the minimum program requirements;

WHEREAS, the City has achieved a CRS rating of class seven (7), making citizens who purchase NFIP flood insurance policies eligible for premium discounts;

WHEREAS, in 2020 the NFIP Community Rating System established certain minimum prerequisites for communities to qualify for or maintain class ratings of Class 8 or better;

WHEREAS, to satisfy the prerequisite and for the City to maintain the current CRS rating, all manufactured homes installed or replaced in special flood hazard areas must be elevated to or above at least the base flood elevation plus 1 foot, which necessitates modification of the existing requirements;

WHEREAS, the City Council has determined that it is in the public interest to amend the floodplain management regulations to better protect manufactured homes and to continue participating in the Community Rating System at the current class rating;

WHEREAS, Chapter 553, Florida Statutes, allows for local administrative and technical amendments to the *Florida Building Code* that provide for more stringent requirements than those specified in the Code and allows adoption of local administrative and local technical amendments to the Florida Building Code to implement the National Flood Insurance Program and incentives;

WHEREAS, the City Council is hereby adopting a local amendment to the Florida Building Code to require foundations for one-family and two-family dwellings in flood hazard areas to be designed by registered design professionals;

WHEREAS, the City Council previously adopted local amendments to the Florida Building Code and is reformatting those amendments as part of the floodplain management regulations;

WHEREAS, this ordinance has been reviewed by the Land Development Review Board as required by law;

WHEREAS, notice of this ordinance has been provided as required by applicable law; and

WHEREAS, the New Port Richey City Council finds it necessary to implement these regulations to promote the health, safety, and welfare of the citizens of New Port Richey.

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF NEW PORT RICHEY, FLORIDA:

SECTION 1. Section 22.02.00, of Chapter 22, of the New Port Richey Land Development Code, pertaining to the basis for establishing flood hazard areas, is hereby amended, as follows (strikeout text is deleted and underlined text is added):

22.02.03 Basis for establishing flood hazard areas. The Flood Insurance Study for Pasco County, Florida and Incorporated Areas dated June 5, 2020~~September 26, 2014~~, and all subsequent amendments and revisions, and the accompanying flood insurance rate maps (FIRM), and all subsequent amendments and revisions to such maps, are adopted by reference as a part of this ordinance and shall serve as the minimum basis for establishing flood hazard areas. Studies and maps that establish flood hazard areas are on file at the Development Department, located at 5919 Main Street, New Port Richey, FL 34652.

SECTION 2. Section 22.05.02, of Chapter 22, of the New Port Richey Land Development Code, pertaining to the flood hazard areas without base flood elevations, is hereby amended, as follows (strikeout text is deleted and underlined text is added):

22.05.02 *Information in flood hazard areas without base flood elevations (approximate Zone A).* Where flood hazard areas are delineated on the FIRM and base flood elevation data have not been provided, the floodplain administrator shall:

- (1) Require the applicant to include base flood elevation data prepared in accordance with currently accepted engineering practices;:-
- (2) Obtain, review, and provide to applicants base flood elevation and floodway data available from a federal or state agency or other source or require the applicant to obtain and use base flood elevation and floodway data available from a federal or state agency or other source;:-
- (3) Where base flood elevation and floodway data are not available from another source, where the available data are deemed by the floodplain administrator to not reasonably reflect flooding conditions, or where the available data are known to be scientifically or technically incorrect or otherwise inadequate:
 - (a) Require the applicant to include base flood elevation data prepared in accordance with currently accepted engineering practices; or
 - (b) Specify that the base flood elevation is two (2) feet above the highest adjacent grade at the location of the development, provided there is no evidence indicating flood depths have been or may be greater than two (2) ~~three (3)~~ feet;:-
- (4) Where the base flood elevation data are to be used to support a letter of map change from FEMA, advise the applicant that the analyses shall be prepared by a Florida licensed engineer in a format required by FEMA, and that it shall be the responsibility of the applicant to satisfy the submittal requirements and pay the processing fees.

SECTION 3. Section 22.07.05, of Chapter 22, of the New Port Richey Land Development Code, pertaining to flood regulation variances for historical buildings, is hereby amended, as follows (strikeout text is deleted and underlined text is added):

22.07.05 *Historic buildings.* A variance is authorized to be issued for the repair, improvement, or rehabilitation of a historic building that is determined eligible for the exception to the flood resistant construction requirements of the Florida Building Code, Existing Building, Chapter 124 ~~12~~ Historic Buildings, upon a determination that the proposed repair, improvement, or rehabilitation will not preclude the building's continued designation as a historic building and the variance is the minimum necessary to preserve the historic character and design of the building. If the proposed work precludes the building's continued designation as a historic building, a variance shall not be granted and the building and any repair, improvement, and rehabilitation shall be subject to the requirements of the Florida Building Code.

SECTION 4. Section 22.09.04, of Chapter 22, of the New Port Richey Land Development Code, pertaining to definitions used in the flood regulations, is hereby amended, as follows (strikeout text is deleted and underlined text is added):

22.09.04 *Definitions.* The terms in this section shall have the meanings thereafter provided.

Alteration of a watercourse. A dam, impoundment, channel relocation, change in channel alignment, channelization, or change in cross-sectional area of the channel or the channel capacity, or any other form of modification which may alter, impede, retard or change the direction and/or velocity of the riverine flow of water during conditions of the base flood.

Appeal. A request for a review of the floodplain administrator's interpretation of any provision of this chapter ~~or a request for a variance.~~

ASCE 24. A standard titled Flood Resistant Design and Construction that is referenced by the Florida Building Code. ASCE 24 is developed and published by the American Society of Civil Engineers, Reston, VA.

Base flood. A flood having a 1-percent chance of being equaled or exceeded in any given year. [Also defined in FBC, B, Section 1612.2.] The base flood is commonly referred to as the "100-year flood" or the "one-percent-annual chance flood."

Base flood elevation. The elevation of the base flood, including wave height, relative to the National Geodetic Vertical Datum (NGVD), North American Vertical Datum (NAVD) or other datum specified on the flood insurance rate map (FIRM). [Also defined in FBC, B, Section 1612.2.]

Basement. The portion of a building having its floor subgrade (below ground level) on all sides. [Also defined in FBC, B, Section 1612.2.]

Critical facility. Hospitals, nursing homes, police stations, fire stations, and emergency operation centers that are needed for flood response activities before, during, or after a flood; and public and private utility facilities that are vital to maintaining or restoring normal services to flooded areas before, during, and after a flood; and structures or facilities that produce, use, or store highly volatile, flammable, explosive, toxic and/or water-reactive materials. The term includes facilities that are assigned Risk Category III and Risk Category IV pursuant to the Florida Building Code, Building.

Coastal construction control line. The line established by the State of Florida pursuant to F.S. § 161.053, and recorded in the official records of the community, which defines that portion of the beach-dune system subject to severe fluctuations based on a 100-year storm surge, storm waves or other predictable weather conditions.

Coastal high hazard area. A special flood hazard area extending from offshore to the inland limit of a primary frontal dune along an open coast and any other area subject to high velocity wave action from storms or seismic sources. Coastal high hazard areas are also referred to as "high hazard areas subject to high velocity wave action" or "V Zones" and are designated on flood insurance rate maps (FIRM) as Zone V1-V30, VE, or V. [Note: The FBC, B defines and uses the term "flood hazard areas subject to high velocity wave action" and the FBC, R uses the term "coastal high hazard areas."]

Compensatory storage. An excavated, hydraulically equivalent volume of storage within the special flood hazard area used to balance the effects of proposed fill and development on the flood hazard area (no net loss of natural flood storage capacity)

Design flood. The flood associated with the greater of the following two (2) areas: [Also defined in FBC, B, Section 1612.2.]

- (1) Area with a floodplain subject to a one (1) percent or greater chance of flooding in any year; or
- (2) Area designated as a flood hazard area on the community's flood hazard map, or otherwise legally designated.

Design flood elevation. The elevation of the "design flood," including wave height, relative to the datum specified on the community's legally designated flood hazard map. In areas designated as Zone AO, the design flood elevation shall be the elevation of the highest existing grade of the building's perimeter plus the depth number (in feet) specified on the flood hazard map. In areas designated as Zone AO where the depth number is not specified on the map, the depth number shall be taken as being equal to two (2) feet. [Also defined in FBC, B, Section 1612.2.]

Development. Any manmade change to improved or unimproved real estate, including but not limited to, buildings or other structures, tanks, temporary structures, temporary or permanent storage of equipment or materials, mining, dredging, filling, grading, paving, excavations, drilling operations or any other land disturbing activities.

Encroachment. The placement of fill, excavation, buildings, permanent structures or other development into a flood hazard area which may impede or alter the flow capacity of riverine flood hazard areas.

Existing building and existing structure. Any buildings and structures for which the "start of construction" commenced before August 17, 1981. [Also defined in FBC, B, Section 1612.2.]

Existing manufactured home park or subdivision. A manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including, at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) is completed before August 17, 1981.

~~*Expansion to an existing manufactured home park or subdivision.* The preparation of additional sites by the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads).~~

Federal Emergency Management Agency (FEMA). The federal agency that, in addition to carrying out other functions, administers the National Flood Insurance Program.

Flood or flooding. A general and temporary condition of partial or complete inundation of normally dry land from: [Also defined in FBC, B, Section 1612.2.]

- (1) The overflow of inland or tidal waters; or
- (2) The unusual and rapid accumulation or runoff of surface waters from any source.

Flood damage-resistant materials. Any construction material capable of withstanding direct and prolonged contact with floodwaters without sustaining any damage that requires more than cosmetic repair. [Also defined in FBC, B, Section 1612.2.]

Flood hazard area. The greater of the following two (2) areas: [Also defined in FBC, B, Section 1612.2.]

- (1) The area within a floodplain subject to a one (1) percent or greater chance of flooding in any year; or:
- (2) The area designated as a flood hazard area on the community's flood hazard map, or otherwise legally designated.

Flood insurance rate map (FIRM). The official map of the community on which the Federal Emergency Management Agency has delineated both special flood hazard areas and the risk premium zones applicable to the community. [Also defined in FBC, B, Section 1612.2.]

Flood insurance study (FIS). The official report provided by the Federal Emergency Management Agency that contains the flood insurance rate map, the flood boundary and floodway map (if applicable), the water surface elevations of the base flood, and supporting technical data. [Also defined in FBC, B, Section 1612.2.]

Floodplain administrator. The office or position designated and charged with the administration and enforcement of this chapter (may be referred to as the floodplain manager).

Floodplain development permit or approval. An official document or certificate issued by the community, or other evidence of approval or concurrence, which authorizes performance of specific development activities that are located in flood hazard areas and that are determined to be compliant with this chapter.

Floodway. The channel of a river or other riverine watercourse and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than one (1) foot. [Also defined in FBC, B, Section 1612.2.]

Floodway encroachment analysis. An engineering analysis of the impact that a proposed encroachment into a floodway is expected to have on the floodway boundaries and base flood elevations; the evaluation shall be prepared by a qualified Florida licensed engineer using standard engineering methods and models.

Florida Building Code. The family of codes adopted by the Florida Building Commission, including: Florida Building Code, Building; Florida Building Code, Residential; Florida Building Code, Existing Building; Florida Building Code, Mechanical; Florida Building Code, Plumbing; Florida Building Code, Fuel Gas.

Functionally-dependent use. A use which cannot perform its intended purpose unless it is located or carried out in close proximity to water, including only docking facilities, port facilities that are necessary for the loading and unloading of cargo or passengers, and ship building and ship repair facilities; the term does not include long-term storage or related manufacturing facilities.

Highest adjacent grade. The highest natural elevation of the ground surface prior to construction next to the proposed walls or foundation of a structure.

Historic structure. Any structure that is determined eligible for the exception to the flood hazard area requirements of the Florida Building Code, Existing Building, Chapter ~~124~~ Historic Buildings.

Letter of map change (LOMC). An official determination issued by FEMA that amends or revises an effective flood insurance rate map or flood insurance study. Letters of map change include:

- (1) *Letter of map amendment (LOMA):* An amendment based on technical data showing that a property was incorrectly included in a designated special flood hazard area. A LOMA amends the current effective flood insurance rate map and establishes that a specific property, portion of a property, or structure is not located in a special flood hazard area;:-
- (2) *Letter of map revision (LOMR):* A revision based on technical data that may show changes to flood zones, flood elevations, special flood hazard area boundaries and floodway delineations, and other planimetric features;:-
- (3) *Letter of map revision based on fill (LOMR-F):* A determination that a structure or parcel of land has been elevated by fill above the base flood elevation and is, therefore, no longer located within the special flood hazard area. In order to qualify for this determination, the fill must have been permitted and placed in accordance with the community's floodplain management regulations; and:-
- (4) *Conditional letter of map revision (CLOMR):* A formal review and comment as to whether a proposed flood protection project or other project complies with the minimum NFIP requirements for such projects with respect to delineation of special flood hazard areas. A CLOMR does not revise the effective flood insurance rate map or flood insurance study; upon submission and approval of certified as-built documentation, a letter of map revision may be issued by FEMA to revise the effective FIRM.

Light-duty truck. As defined in 40 C.F.R. 86.082-2, any motor vehicle rated at eight thousand five hundred (8,500) pounds gross vehicular weight rating or less which has a vehicular curb weight of six thousand (6,000) pounds or less and which has a basic vehicle frontal area of forty-five (45) square feet or less, which is:

- (1) Designed primarily for purposes of transportation of property or is a derivation of such a vehicle;:-~~or~~
- (2) Designed primarily for transportation of persons and has a capacity of more than twelve (12) persons; or
- (3) Available with special features enabling off-street or off-highway operation and use.

Lowest floor. The lowest floor of the lowest enclosed area of a building or structure, including basement, but excluding any unfinished or flood-resistant enclosure, other than a basement, usable solely for vehicle parking, building access or limited storage provided that such enclosure is not built so as to render the structure in violation of the non-elevation requirements of the Florida Building Code or ASCE 24. [Also defined in FBC, B, Section 1612.2.]

Manufactured home. A structure, transportable in one (1) or more sections, which is eight (8) feet or more in width and greater than four hundred (400) square feet, and which is built on a permanent, integral chassis and is designed for use with or without a permanent foundation when attached to the required utilities. The term "manufactured home" does not include a "recreational vehicle" or "park trailer." [Also defined in 15C-1.0101, F.A.C.]

Manufactured home park or subdivision. A parcel (or contiguous parcels) of land divided into two (2) or more manufactured home lots for rent or sale.

Market value. The price at which a property will change hands between a willing buyer and a willing seller, neither party being under compulsion to buy or sell and both having reasonable knowledge of relevant facts. As used in this chapter, the term refers to the market value of buildings and structures, excluding the land and other improvements on the parcel. Market value ~~may be established by a qualified independent appraiser,~~ is the actual cash value (in-kind replacement cost depreciated for age, wear and tear, neglect and quality of construction), or tax assessment value adjusted to approximate market value by a factor provided by the county property appraiser.

New construction. For the purposes of administration of this chapter and the flood resistant construction requirements of the Florida Building Code, structures for which the "start of construction" commenced on or after August 17, 1981 and includes any subsequent improvements to such structures.

New manufactured home park or subdivision. A manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) is completed on or after August 17, 1981.

Park trailer. A transportable unit which has a body width not exceeding fourteen (14) feet and which is built on a single chassis and is designed to provide seasonal or temporary living quarters when connected to utilities necessary for operation of installed fixtures and appliances. [Defined in F.S. § 320.01.]

Recreational vehicle. A vehicle, including a park trailer, which is: [See F.S. § 320.01.]

- (1) Built on a single chassis;
- (2) Four hundred (400) square feet or less when measured at the largest horizontal projection;
- (3) Designed to be self-propelled or permanently towable by a light-duty truck; and
- (4) Designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use.

Sand dunes. Naturally occurring accumulations of sand in ridges or mounds landward of the beach.

Special flood hazard area. An area in the floodplain subject to a one (1) percent or greater chance of flooding in any given year. Special flood hazard areas are shown on FIRMs as Zone A, AO, A1-A30, AE, A99, AH, V1-V30, VE or V. [Also defined in FBC, B Section 1612.2.]

Start of construction. The date of issuance for new construction and substantial improvements to existing structures, provided the actual start of construction, repair, reconstruction, rehabilitation, addition, placement, or other improvement is within one hundred eighty (180) days of the date of the issuance. The actual start of construction means either the first placement of permanent construction of a building (including a manufactured home) on a site, such as the pouring of slab or footings, the installation of piles, the construction of columns. Permanent construction does not include land preparation (such as clearing, grading, or filling), the installation of streets or walkways, excavation for a basement, footings, piers, or foundations, the erection of temporary forms or the installation of accessory buildings such as garages or sheds not occupied as dwelling units or not part of the main buildings. For a substantial improvement, the

actual "start of construction" means the first alteration of any wall, ceiling, floor or other structural part of a building, whether or not that alteration affects the external dimensions of the building. [Also defined in FBC, B Section 1612.2.]

Substantial damage. Damage of any origin sustained by a building or structure whereby the cost of restoring the building or structure to its before-damaged condition would equal or exceed 50 percent of the market value of the building or structure before the damage occurred. [Also defined in FBC, B Section 1612.2.]

Substantial improvement. Any combination of repair, reconstruction, rehabilitation, addition or improvement of a building or structure taking place during a five-year period, the cumulative cost of which equals or exceeds fifty (50) percent of the market value of the structure before the improvement or repair is started. For each building or structure, the five-year period begins on the date of the first improvement or repair of that building or structure subsequent to May 4, 1993. If the structure has sustained substantial damage, any repairs are considered substantial improvement regardless of the actual repair work performed. The term does not, however, include: ~~1. Any~~ project for improvement of a building required to correct existing health, sanitary or safety code violations identified by the building official and that are the minimum necessary to assure safe living conditions.

Variance. A grant of relief from the requirements of this chapter, or the flood resistant construction requirements of the Florida Building Code, which permits construction in a manner that would not otherwise be permitted by this chapter or the Florida Building Code.

Watercourse. A river, creek, stream, channel or other topographic feature in, on, through, or over which water flows at least periodically.

SECTION 5. Section 22.10.00, of Chapter 22, of the New Port Richey Land Development Code, pertaining to flood resistant buildings and structures, is hereby amended, as follows (strikeout text is deleted and underlined text is added):

22.10.00 Buildings and structures.

22.10.01 Design and construction of buildings, structures and facilities exempt from the Florida Building Code. Pursuant to section 22.04.03 of this chapter, buildings, structures, and facilities that are exempt from the Florida Building Code, including substantial improvement or repair of substantial damage of such buildings, structures and facilities, shall be designed and constructed in accordance with the flood load and flood resistant construction requirements of ASCE 24. Structures exempt from the Florida Building Code that are not walled and roofed buildings shall comply with the requirements of section 22.16.00 of this chapter.

22.10.02 Buildings and structures seaward of the coastal construction control line. If extending, in whole or in part, seaward of the coastal construction control line and also located, in whole or in part, in a flood hazard area:

- (1) Buildings and structures shall be designed and constructed to comply with the more restrictive applicable requirements of the Florida Building Code, Building Section 3109 and Section 1612 or Florida Building Code, Residential Section R322; and

- (2) Minor structures and non-habitable major structures as defined in F.S. § 161.54, shall be designed and constructed to comply with the intent and applicable provisions of this chapter and ASCE 24.

22.10.03 Amendments to the Florida Building Code.

- (1) The definition for the term “Substantial Improvement” shall be as provided in Section 22.09.04 of this chapter.
- (2) The interior portions of enclosures below elevated buildings shall not be partitioned or finished into separate rooms except for stairwells, ramps, and elevators, unless a partition is required by the fire code. The limitation on partitions does not apply to load bearing walls interior to perimeter wall (crawl space) foundations.
- (3) Construction documents for one and two-family dwellings in flood hazard areas shall include documentation prepared and sealed by a registered design professional that the foundation design accounts for site-specific flood loads.

SECTION 6. Section 22.12.01, of Chapter 22, of the New Port Richey Land Development Code, pertaining to minimum requirements for site improvements and utilities in flood areas, is hereby amended, as follows (strikeout text is deleted and underlined text is added):

22.12.01 Minimum requirements. All proposed development shall be reviewed to determine that:

- (1) Such proposals are consistent with the need to minimize flood damage and will be reasonably safe from flooding;
- (2) All public utilities and facilities such as sewer, gas, electric, communications, and water systems are located and constructed to minimize or eliminate flood damage; ~~and~~
- (3) Adequate drainage is provided to reduce exposure to flood hazards; in Zones AH and AO, adequate drainage paths shall be provided to guide floodwaters around and away from proposed structures; and;
- (4) Compensatory storage is provided at hydraulically equivalent volumes at a ratio of 1:1 or greater. Fill shall not be allowed to be placed in the flood hazard area without an equivalent volume of soil removed to compensate for the loss of the flood storage. Compensatory storage is to be determined by the volume of material removed above the ordinary high-water table and below the base flood elevation established for that area. The floodplain administrator may waive the requirement for compensatory storage if the applicant demonstrates that the development or fill will not increase the base flood elevation on adjacent properties.

SECTION 7. Section 22.12.06, of Chapter 22, of the New Port Richey Land Development Code, pertaining to limitations on placement of fill in flood areas, is hereby amended, as follows (strikeout text is deleted and underlined text is added):

22.12.06 Limitations on placement of fill. ~~Subject to the limitations of this chapter~~ Where permitted, fill shall be designed to be stable under conditions of flooding, including rapid rise and

rapid drawdown of floodwaters, prolonged inundation, and protection against flood-related erosion and scour. In addition to these requirements, if intended to support buildings and structures (Zone A only), fill shall comply with the requirements of the Florida Building Code. Fill shall not be placed on any property within the SFHA, except when compensatory storage is provided in accordance with Section 22.12.01(4). The following exemptions may be permitted:

- (1) Fill may be placed for the purpose of constructing a stem wall, provided that the fill is completely contained within the stem wall boundaries; and
- (2) Fill may be placed for the purpose of re-establishing a natural grade where substantial erosion has occurred. This exemption shall be subject to all other sections of this chapter, the Florida Building Code, and is subject to review and may be denied by the Floodplain Manager and Building Official.

SECTION 8. Section 22.13.00, of Chapter 22, of the New Port Richey Land Development Code, pertaining to manufactured homes in flood areas, is hereby amended, as follows (strikeout text is deleted and underlined text is added):

22.13.00 Manufactured homes.

22.13.01 General. All manufactured homes installed in flood hazard areas shall be installed by an installer that is licensed pursuant to F.S. § 320.8249, and shall comply with the requirements of Chapter 15C-1, F.A.C. and the requirements of this chapter. If located seaward of the coastal construction control line, all manufactured homes shall comply with the more restrictive of the applicable requirements.

22.13.02 Limitations on installation of new manufactured homes. Installation of new manufactured homes shall not be permitted in floodways or in coastal high hazard areas (Zone V) except in an existing manufactured home park or subdivision.

22.13.03 Foundations. All new manufactured homes and replacement manufactured homes installed in flood hazard areas shall be installed on permanent, reinforced foundations that:

- (1) In flood hazard areas (Zone A) other than coastal high hazard areas, are designed in accordance with the foundation requirements of the Florida Building Code, Residential Section R322.2 and this chapter; and-
- (2) In coastal high hazard areas (Zone V), are designed in accordance with the foundation requirements of the Florida Building Code, Residential Section R322.3 and this chapter.

22.13.04 Anchoring. All new manufactured homes and replacement manufactured homes shall be installed using methods and practices which minimize flood damage and shall be securely anchored to an adequately anchored foundation system to resist flotation, collapse or lateral movement. Methods of anchoring include, but are not limited to, use of over-the-top or frame ties to ground anchors. This anchoring requirement is in addition to applicable state and local anchoring requirements for wind resistance.

22.13.05 Elevation. All ~~M~~manufactured homes that are placed, replaced, or substantially improved in flood hazard areas shall be elevated such that the bottom of the frame is at or above the elevation required in the Florida Building Code, Residential Section R322.2 (Zone A) or Section R322.3

(Zone V and Coastal A Zone) shall comply with section 22.13.06 or 22.13.07 of this chapter, as applicable.

~~22.13.06 General elevation requirement.~~ Unless subject to the requirements of section 22.13.07 of this chapter, all manufactured homes that are placed, replaced, or substantially improved on sites located: (a) outside of a manufactured home park or subdivision; (b) in a new manufactured home park or subdivision; (c) in an expansion to an existing manufactured home park or subdivision; or (d) in an existing manufactured home park or subdivision upon which a manufactured home has incurred "substantial damage" as the result of a flood, shall be elevated such that the bottom of the frame is at or above the elevation required, as applicable to the flood hazard area, in the Florida Building Code, Residential Section R322.2 (Zone A) or Section R322.3 (Zone V).

~~22.13.07 Elevation requirement for certain existing manufactured home parks and subdivisions.~~ Manufactured homes that are not subject to section 22.13.06 of this chapter, including manufactured homes that are placed, replaced, or substantially improved on sites located in an existing manufactured home park or subdivision, unless on a site where substantial damage as result of flooding has occurred, shall be elevated such that either the:

- ~~(1) Bottom of the frame of the manufactured home is at or above the elevation required, as applicable to the flood hazard area, in the Florida Building Code, Residential Section R322.2 (Zone A) or Section R322.3 (Zone V); or~~
- ~~(2) Bottom of the frame is supported by reinforced piers or other foundation elements of at least equivalent strength that are not less than thirty-six (36) inches in height above grade.~~

~~22.13.068 Enclosures.~~ Enclosed areas below elevated manufactured homes shall comply with the requirements of the Florida Building Code, Residential Section R322 for such enclosed areas, as applicable to the flood hazard area.

~~22.13.079 Utility equipment.~~ Utility equipment that serves manufactured homes, including electric, heating, ventilation, plumbing, and air conditioning equipment and other service facilities, shall comply with the requirements of the Florida Building Code, Residential Section R322, as applicable to the flood hazard area.

SECTION 9. Subsection (5) of section 22.16.01, of Chapter 22, of the New Port Richey Land Development Code, pertaining to mechanical, plumbing and electrical systems in flood areas, is hereby amended, as follows (strikeout text is deleted and underlined text is added):

- (5) Have mechanical, plumbing, and electrical systems above the design flood elevation plus one (1) foot, except that minimum electric service required to address life safety and electric code requirements is permitted below the design flood elevation provided it conforms to the provisions of the electrical part of building code for wet locations.

SECTION 10. Chapter 22, of the New Port Richey Land Development Code, pertaining to flood damage prevention, is hereby amended by adding Section 22.18.00 thereto, as follows (strikeout text is deleted and underlined text is added):

22.18.00 Hazardous Materials.

22.18.01 Manufacture and storage of hazardous materials. Structures used for the manufacture or storage of hazardous materials shall not be permitted in any floodplain or floodway.

22.18.02 Discharge of hazardous materials. It shall be unlawful for any person to discharge, cause to be discharged, or allow to be discharged any hazardous materials within any floodplain or floodway.

SECTION 11. The fiscal impact of this ordinance has been reviewed in accordance with Section 553.73(4) Florida Statutes. In terms of design, plan application review, construction and inspection of buildings and structures, the cost impact as an overall average is negligible in regard to the local amendments because all development has been subject to the requirements of the local floodplain management ordinance adopted for participation in the National Flood Insurance Program. Therefore, in terms of lower potential for flood damage, there will be continued savings and benefits to consumers and property owners.

SECTION 12. If any phrase or portion of this ordinance, or the particular application thereof, shall be held invalid or unconstitutional by any court, administrative agency, or other body with appropriate jurisdiction, the remaining section, subsection, sentences, clauses, or phrases and their application shall not be affected thereby.

SECTION 13. Any ordinances, or parts thereof, in conflict herewith are hereby repealed to the extent of such conflict.

SECTION 14. It is the intention of the City Council and it is hereby ordained that the provisions of this ordinance shall be codified and made a part of the New Port Richey City Code, and that the sections of this ordinance may be renumbered to accomplish such codification, and that the word ordinance may be changed to “section” to accomplish such codification.

SECTION 15. This ordinance shall become effective immediately upon its adoption as provided by law.

The above and foregoing ordinance was read and approved on first reading at duly convened meeting of the City Council of the City of New Port Richey, Florida this _____ day of _____, 2024.

The above and foregoing ordinance was read and approved on second reading at duly convened meeting of the City Council of the City of New Port Richey, Florida this _____ day of _____, 2024.

ATTEST:

Judy Meyers, CMC, City Clerk

Alfred C. Davis, Mayor-Council Member

APPROVED AS TO FORM

By: _____
Timothy P. Driscoll, City Attorney
CA Approved 6-20-2024

DRAFT